

# STATE OF COLORADO

Bill Owens, Governor  
Jane E. Norton, Executive Director

*Dedicated to protecting and improving the health and environment of the people of Colorado*

4300 Cherry Creek Dr. S.  
Denver, Colorado 80246-1530  
Phone (303) 692-2000  
TDD Line (303) 691-7700  
Located in Glendale, Colorado

Laboratory and Radiation Services Division  
8100 Lowry Blvd.  
Denver, Colorado 80230-6928  
(303) 692-3090

<http://www.cdphe.state.co.us>



Colorado Department  
of Public Health  
and Environment

July 12, 2001

Mr. Joseph A Legare  
Assistant Manager for Environment and Infrastructure  
U.S. Department of Energy, Rocky Flats Field Office  
10808 Highway 93, Unit A  
Golden, CO 80403-8200

RE: B771 Reconnaissance Level Characterization Report (RLCR) Supplement for B771 Facilities - Concurrence

Dear Mr. Legare:

The Colorado Department of Public Health and Environment, Hazardous Materials and Waste Management Division has reviewed the "Reconnaissance Level Characterization Report (RLCR) Supplement, 771 Annex, Stack and Outbuildings, Building 771 Closure Project, Revision 2", dated June 15, 2001. This RLCR was received by the Division on July 2, 2001. Based on the information contained in this RLCR, we are hereby concurring with the Typing of the facilities as indicated in this RLCR. This includes the Type 3 designation for B771 Exhaust Tunnel and Stack, the Type 2 designation for B771C, B714, B728, B770, B775, TK176, TK182, TK183, TK184, TK185, TK194, TK195, TK292, TK293, TK774A, and TK774B, and the Type 1 designation for T771A-C, T771E-H, T771J-M, T771Q, T771R, T771T, T771MB, T771DT, T773S, B714A, B715, B716, B717, B772, B772A, B773, S770, B771B, K771N, TK21A, TK173, TK174, TK179, TK180, TK192, TK193, and TK197.

Because many of the Type 1 facilities are still being used, and/or may need additional investigation as indicated in this RLCR, the results provided in this RLCR may not be sufficient for the PDS. As such, upon completion of activities in these facilities an additional final appraisal/characterization including additional radiological surveys may need to be performed prior to closure/demolition of these facilities. The results of additional and final appraisal and investigations should be provided during consultative meetings prior to disposition/demolition, as well as in the closeout report for the B771 Building/Cluster.

If you have any questions regarding this correspondence please contact me at (303) 692-3367 or David Kruchek at (303) 692-3328.

Sincerely,

Steven H. Gunderson  
RFCA Project Coordinator

cc: Joe Springer, FCWM, RFFO  
Tom Scott, KH  
Frank Gibbs, KH  
Administrative Records Building 850

Tim Rehder, EPA  
Dave Shelton, KH  
Kelly Trice, KH  
Jeff Stevens, KH



DOCUMENT CLASSIFICATION  
REVIEW WAIVER PER  
CLASSIFICATION OFFICE

ADMIN RECORD

B771-A-000148